



INTEGRA 1222 - BACNET MSTP DIGITAL METERING SYSTEM

KEY FEATURES

- BACnet MSTP and Modbus communications
- User configurable IP addressing

BACnet MSTP Connection

The Integra 1221/1222 BACnet MSTP communication module supports connection to SCADA systems using the BACnet MSTP protocol and the Modbus protocol. The Integra 1221/1222 Meter with BACnet MSTP module acts as a slave device and may be queried by a master device which conforms to the BACnet protocol.

The Integra BACnet MSTP option module supports half duplex communication, initially at 38400baud, no parity 1 stop bit.

The module is fitted with a three-way screw terminal block to daisy-chain the BACnet communications cable. Standard RS485 communications cable should be used.


A key feature of the BACnet MSTP module is that it will communicate using BACnet MSTP or Modbus without any connections changes.

Customers can count on consistent, high quality products, driven by TE's proven innovation and backed by our extraordinary customer support.

Modbus and BACnet are trademarks



Dimensions



PRODUCT CODES

Part number	Description
OPT-1222-090	BACnet MSTP module for Integra 1222 digital multifunction meter

SPECIFICATION

Input	
Material	UL 94-V0
Physical Connections	3-way screw terminal
Speed	9600, 19200, 38400 baud

te.com/energy

©2019 TE Connectivity. All Rights Reserved. EPP--DDS-09/19

Crompton Instruments, TE Connectivity and TE Connectivity (logo) are trademarks. Other logos, product and/or company names might be trademarks of their respective owners. While TE has made every reasonable effort to ensure the accuracy of the information in this brochure, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this catalog are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.

FOR MORE INFORMATION: TE Technical Support Centers

USA:	+ 1 800 327 6996
Canada:	+ 1 (905) 475-6222
Mexico:	+ 52 (0) 55-1106-0800
Latin/S. America:	+ 54 (0) 11-4733-2200
France:	+ 33 380 583 200
UK:	+ 44 0870 870 7500
Germany:	+ 49 896 089 903
Spain:	+ 34 916 630 400
Italy:	+ 39 333 250 0915
Benelux:	+ 32 16 508 695
Russia:	+ 7 495-790 790 2-200
China:	+ 86 (0) 400-820-6015